

Bibliography

- [1] Jun Aishima, Leo Guibas, Axel Brunger, and Paul Adams. Automated crystallographic building using the medial axis transform of an electron density isosurface. *Acta Crystallographica D — Biological Crystallography*, 61(Part 10):1354–1363, October 2005.
- [2] Rémi Allègre, Raphaëlle Chaine, and Samir Akkouche. A flexible framework for surface reconstruction from large point sets. *Computer Graphics*, 31(2):190–204, 2007.
- [3] Rémi Allègre, Raphaëlle Chaine, and Samir Akkouche. A streaming algorithm for surface reconstruction. In *Proceedings of the Eurographics/ACM SIGGRAPH Symposium on Geometry Processing (SGP)*, pages 79–88, Aire-la-Ville, Switzerland, Switzerland, 2007. Eurographics Association.
- [4] H. A. Almohamad and S. O. Duffuaa. A linear programming approach for the weighted graph matching problem. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 15(5):522–525, May 1993.
- [5] Nina Amenta and Marshall Bern. Surface reconstruction by Voronoi filtering. *Discrete and Computational Geometry*, 22:481–504, 1999.
- [6] Nina Amenta, Sunghee Choi, Tamal Dey, and Naveen Leekha. A simple algorithm for homeomorphic surface reconstruction. *International Journal of Computational Geometry and its Applications*, 12(1–2):125–1141, 2002.
- [7] Nina Amenta, Sunghee Choi, and Ravi Krishna Kolluri. The power crust. In *Proceedings of the ACM Symposium on Solid Modeling and Applications*, pages 249–260, 2001.
- [8] Nina Amenta, Sunghee Choi, and Ravi Krishna Kolluri. The power crust, unions of balls, and the medial axis transform. *International Journal of Computational Geometry and its Applications*, 19(2-3):127–153, 2001.
- [9] Nina Amenta et al. The power crust, unions of balls, and the medial axis transform. *International Journal of Computational Geometry and its Applications*, 19(2-3):127–153, 2001.
- [10] Tarik Filali Ansary, Mohamed Daoudi, and Jean-Phillipe Vandeborre. A bayesian 3-d search engine using adaptive views clustering. *IEEE Transactions on Multimedia*, 9:78–88, 2008.
- [11] H. Can Aras. Hindsite: A robust system for archaeological fragment re-assembly. Master’s dissertation, Brown University, Providence, USA, 2007.
- [12] D. Attali, J.-D. Boissonat, and H. Edelsbrunner. Stability and computation of the medial axis. In *Mathematical Foundations of Scientific Visualization, Computer Graphics, and Massive Data Exploration*, 2004.

- [13] Dominique Attali. r -regular shape reconstruction from unorganized points. *Computational Geometry: Theory and Applications*, 10(4):239–247, July 1998.
- [14] Dominique Attali and Annick Montanvert. Computing and simplifying 2D and 3D continuous skeletons. *Computer Vision and Image Understanding (CVIU)*, 67(3):261–273, September 1997.
- [15] C.B. Barber, D.P. Dobkin, and H.T. Huhdanpaa. The quickhull algorithm for convex hulls. *ACM Transactions on Mathematical Software*, December 1996.
- [16] Bruce G. Baumgart. Winged-edge polyhedron representation. *Technical Report STAN-CS-320*, 1972.
- [17] Mark W. Beall and Mark S. Shephard. A general topology-based mesh data structure. *International Journal for Numerical Methods in Engineering*, 40:1573–1596, 1997.
- [18] Alexander Belyaev and Yutaka Ohtake. A comparison of mesh smoothing methods. In *In Proceedings of the Israel-Korea BiNational Conference on Geometric Modeling and Computer Graphics*, pages 83–87, 2003.
- [19] Russell V. Benson. *Euclidean Geometry and Convexity*. McGraw-Hill, New York, 1966.
- [20] Claude Berge. *Hypergraphs. Combinatorics of finite sets*, volume 45. North-Holland, 1989.
- [21] Helen M. Berman, John Westbrook, Zukang Feng, Gary Gilliland, T. N. Bhat, Helge Weissig, Ilya N. Shindyalov, and Philip E. Bourne. The protein data bank. *Nucleic Acids Research*, 28:235–242, 1997.
- [22] P. J. Besl and N. D. McKay. A method for registration of 3-D shapes. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 14(2):239–256, Feb 1992.
- [23] Dmitriy Bespalov, William C. Regli, and Ali Shokoufandeh. Reeb graph based shape retrieval for CAD. In *Proceedings of ASME Design Engineering Technical Conference (DETC)*, pages 1–10, 2003.
- [24] Dmitriy Bespalov, William C. Regli, and Ali Shokoufandeh. Local feature extraction and matching partial objects. *Computer-Aided Design*, 38:1020–1037, 2006.
- [25] Dmitriy Bespalov, Ali Shokoufandeh, William C. Regli, and Wei Sun. Scale-space representation and classification of 3D models. *Journal of Computing and Information Science in Engineering*, 3:315–324, 2003.
- [26] S. Biasotti, D. Giorgi, M. Spagnuolo, and B. Falcidieno. Reeb graphs for shape analysis and applications. *Theoretical Computer Science*, 392(1-3):5–22, 2008.
- [27] Silvia Biasotti, Simone Marini, Michela Mortara, Giuseppe Patane, Michela Spagnuolo, and Bianca Falcidieno. 3D shape matching through topological structures. *Discrete Geometry for Computer Imagery, Lecture Notes in Computer Science*, 2886:194–203, 2003.
- [28] Alberto Del Bimbo and Pietro Pala. Content-based retrieval of 3d models. *ACM Transactions on Multimedia Computing, Communications, and Applications*, 2(1):20–43, 2006.

- [29] A. Blake and A. Zisserman. *Visual Reconstruction*. MIT Press, Cambridge, MA, 1987.
- [30] H. Blum and R. Nagel. Shape description using weighted symmetric axis features. *Pattern Recognition*, 10(3):167–180, 1978.
- [31] Harry Blum. Biological shape and visual science. *Journal of Theoretical Biology*, 38:205–287, 1973.
- [32] Harry Blum and R. Nagel. Shape description using weighted symmetric axis features. *Pattern Recognition*, 10(3):167–180, 1978.
- [33] Jean-Daniel Boissonnat. Geometric structures for three-dimensional shape representation. *ACM Transactions on Graphics*, 3(4):266–286, October 1984.
- [34] Matthew Bolitho, Michael Kazhdan, Randal Burns, and Hugues Hoppe. Multilevel streaming for out-of-core surface reconstruction. In *Proceedings of the Eurographics/ACM SIGGRAPH Symposium on Geometry Processing (SGP)*, pages 69–78, Aire-la-Ville, Switzerland, Switzerland, 2007. Eurographics Association.
- [35] Sylvain Bouix, Kaleem Siddiqi, and Allen Tannenbaum. Flux driven automatic centerline extraction. *Medical Image Analysis*, 9:209–221, 2005.
- [36] Gareth Bradshaw and Carol O’Sullivan. Adaptive medial-axis approximation for sphere-tree construction. *ACM Transactions on Graphics*, 23(1):1–26, 2004.
- [37] Angela Brennecke and Tobias Isenberg. 3D shape matching using skeleton graphs. In Thomas Schulze, Stefan Schlechtweg, and Volkmar Hinz, editors, *Proceedings of Simulation and Visualization*, pages 299–310, March 2004.
- [38] J. W. Bruce and P. J. Giblin. Growth, motion and 1-parameter families of symmetry sets. *Proceedings of the Royal Society of Edinburgh*, 104A:179–204, 1986.
- [39] J.W. Bruce, P.J. Giblin, and F. Tari. Ridges, crests and sub-parabolic lines of evolving surfaces. *International Journal of Computer Vision (IJCV)*, 18(3):195–210, June 1996.
- [40] H. Bunke and T. Caelli, editors. *International Journal of Pattern Recognition and Artificial Intelligence: Special issue on graph matching in pattern recognition and machine vision*, volume 18. World Scientific, 2004.
- [41] Benjamin Bustos, Daniel A. Keim, Dietmar Saupe, Tobias Schreck, and Dejan V. Vranić. Feature-based similarity search in 3D object databases. *ACM Computing Survey*, 37(4):345–387, 2005.
- [42] Frederic Cazals, Joachim Giesen, Mark Pauly, and Afra Zomorodian. Conformal alpha shapes. In *IEEE/Eurographics Symposium on Point-Based Graphics (PBG)*, pages 55–61, 2005.
- [43] Ming-Ching Chang and B. Kimia. Regularizing 3D medial axis using medial scaffold transforms. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 1–8, 2008.

- [44] Ming-Ching Chang, F. Leymarie, and B. Kimia. 3D shape registration using regularized medial scaffolds. In *Proceedings of the IEEE Symposium on 3D Data Processing, Visualization, and Transmission (3DPVT)*, pages 987–994, 2004.
- [45] Ming-Ching Chang, F. Leymarie, and B. Kimia. Surface reconstruction from point clouds by transforming the medial scaffold. In *Proceedings of the IEEE 3-D Digital Imaging and Modeling (3DIM)*, pages 13–20, 2007.
- [46] Ming-Ching Chang, Frederic F. Leymarie, and Benjamin B. Kimia. Surface reconstruction from point clouds by transforming the medial scaffold. In *submitted to Computer Vision and Image Understanding (CVIU)*. Elsevier, April 2008.
- [47] Frédéric Chazal and André Lieutier. The “ λ -medial axis”. *Graphical Models*, 67(4):304–331, 2005.
- [48] Ding-Yun Chen, Xiao-Pei Tian, Yu-Te Shen, and Ming Ouhyoung. On visual similarity based 3D model retrieval. In *Proceedings of the Eurographics*, pages 223–232, Granada, Spain, 2003.
- [49] Ke Chen, Peter Giblin, and Alan Irving. *Mathematical exploration with MATLAB*. Cambridge University Press, Cambridge, UK, 1999.
- [50] David Cohen-Steiner and Frank Da. A greedy Delaunay-based surface reconstruction algorithm. *The Visual Computer: International Journal of Computer Graphics*, 20:4–16, April 2004.
- [51] D. Conte, P. Foggia, C. Sansone, and M. Vento. Thirty years of graph matching in pattern recognition. *International Journal of Pattern Recognition and Artificial Intelligence*, 2004.
- [52] Thomas A. Cormen, Charles E. Leiserson, Ronald L. Rivest, and Clifford Stein. *Introduction to Algorithms, Second Edition*. McGraw Hill, 2001.
- [53] Nicu D. Cornea and et al. 3D object retrieval using many-to-many matching of curve skeletons. In *IEEE International Conference on Shape Modeling and Applications*, pages 366–371, 2005.
- [54] Nicu D. Cornea and Patrick Min. Curve-skeleton properties, applications, and algorithms. *IEEE Transactions on Visualization and Computer Graphics*, 13(3):530–548, 2006.
- [55] Nicu D. Cornea, D. Silver, and R. Balasubramanian. Computing hierarchical curve-skeletons of 3D objects. *The Visual Computer*, 21(11):945–955, 2005.
- [56] Tim Culver, John Keyser, and Dinesh Manocha. Exact computation of the medial axis of a polyhedron. *Computer Aided Geometric Design*, 21:65–98, 2004.
- [57] Christopher M. Cyr and Benjamin B. Kimia. 3D object recognition using shape similarity-based aspect graph. In *Proceedings of the IEEE International Conference on Computer Vision (ICCV)*, pages 254–261, 2001.
- [58] James Damon. The global medial structure of regions in \mathbf{R}^3 . *Geometry and Topology*, 10:2385–2429, 2006.

- [59] Petros Daras and et al. Efficient 3-D model search and retrieval using generalized 3-D radon transforms. *IEEE Transactions on Multimedia*, 8:101–114, 2006.
- [60] T. K. Dey and S. Goswami. Tight cocone: A water-tight surface reconstructor. *Journal of Computing and Information Science in Engineering*, 3(4):302–307, December 2003.
- [61] Tamal K. Dey and Joachim Giesen. Detecting undersampling in surface reconstruction. In *Discrete and Computational Geometry — The Goodman-Pollack Festschrift*, volume 25 of *Algorithms and Combinatorics Series*. Springer Verlag, 2003.
- [62] Tamal K. Dey, Joachim Giesen, and Samrat Goswami. Shape segmentation and matching from noisy point clouds. In *IEEE/Eurographics Symposium on Point-Based Graphics (PBG)*, pages 193–199, 2004.
- [63] Tamal K. Dey, Joachim Giesen, and James Hudson. Delaunay based shape reconstruction from large data. In *IEEE Symposium on Parallel and Large-Data Visualization and Graphics*, pages 19–27, 2001.
- [64] Tamal K. Dey, Joachim Giesen, Edgar A. Ramos, and Bardia Sadri. Critical points of the distance to an epsilon-sampling of a surface and flow-complex-based surface reconstruction. In *ACM Proceedings of the Symposium on Computational Geometry*, pages 218–227, New York, NY, USA, 2005.
- [65] Tamal K. Dey and Samrat Goswami. Provable surface reconstruction from noisy samples. *Computational Geometry*, 35:124–141, 2006.
- [66] Tamal K. Dey and Jian Sun. Defining and computing curve-skeletons with medial geodesic function. In *Proceedings of the Eurographics/ACM SIGGRAPH Symposium on Geometry Processing (SGP)*, pages 143–152. Eurographics Association, 2006.
- [67] Tamal K. Dey and Wulue Zhao. Approximating the medial axis from the Voronoi diagram with a convergence guarantee. *Algorithmica*, 38:179–200, 2003.
- [68] S.J. Dickinson, M. Pelillo, and R. Zabih, editors. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI): Special Section on Graph Algorithms and Computer Vision*, volume 23. IEEE Computer Society, 2001.
- [69] C. M. Eastman and S. F. Weiss. Tree structures for high dimensionality nearest neighbor searching. *Information Systems*, 7(2):115–122, 1982.
- [70] Shimon Edelman. Representation is representation of similarities. *Behavioral and Brain Sciences*, 21:449–498, 1998.
- [71] Herbert Edelsbrunner and Ernst P. Mücke. Three-dimensional alpha shape. *ACM Transactions on Graphics*, 13(1):43–72, 1994.
- [72] Michael Eigensatz, Robert W. Sumner, and Mark Pauly. Curvature-domain shape processing. *Computer Graphics Forum*, 27(2):241–250, 2008.
- [73] Asi Elad and Ron Kimmel. On bending invariant signatures for surfaces. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 25:1285–1295, 2003.

- [74] Gershon Elber and Myung-Soo Kim. Computing rational bisectors. *IEEE Computer Graphics and Applications*, 19(6), Nov./Dec. 1999.
- [75] M. A. Eshera and K. S. Fu. A graph distance measure for image analysis. *IEEE Transactions on Systems, Man, and Cybernetics*, 14:398–408, 1984.
- [76] M. A. Eshera and K. S. Fu. A measure of similarity between attributed relational graphs for image analysis. In *Proceedings of the International Conference on Pattern Recognition (ICPR)*, pages 75–77, 1984.
- [77] M. A. Eshera and K. S. Fu. An image understanding system using Attributed Symbolic Representation. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 14(5):604–618, Sept. 1986.
- [78] Olaf Eitzmuss, Joachim Gross, and Wolfgang Strasser. Deriving a particle system from continuum mechanics for the animation of deformable objects. *IEEE Transactions on Visualization and Computer Graphics*, 9(4):538–550, 2003.
- [79] Leila De Floriani and Annie Hui. A scalable data structure for three-dimensional non-manifold objects. In *Proceedings of the Eurographics/ACM SIGGRAPH Symposium on Geometry Processing (SGP)*, pages 72–82, Aire-la-Ville, Switzerland, Switzerland, 2003.
- [80] Leila De Floriani, Paola Magillo, Enrico Puppo, and Davide Sobrero. A multi-resolution topological representation for non-manifold meshes. In *ACM Symposium on Solid Modeling and Applications*, pages 159–170, New York, NY, USA, 2002.
- [81] Pasquale Foggia, Carlo Sansone, and Mario Vent, editors. *Pattern Recognition Letters: Special issue on graph based representations*, volume 24. Elsevier, 2003.
- [82] James D. Foley, Andries van Dam, Steven K. Feiner, and John F. Hughes. *Computer graphics (2nd ed. in C): principles and practice*. Addison-Wesley Longman Publishing Co., Inc., Boston, MA, USA, 1996.
- [83] Thomas Funkhouser and Michael Kazhdan. Shape-based retrieval and analysis of 3D models. In *ACM SIGGRAPH Course Notes*, page 16, 2004.
- [84] Thomas Funkhouser, Patrick Min, Michael Kazhdan, Joyce Chen, Alex Halderman, David Dobkin, and David Jacobs. A search engine for 3D models. *ACM Transactions on Graphics*, 22(1):83–105, 2003.
- [85] Ran Gal and Daniel Cohen-Or. Salient geometric features for partial shape matching and similarity. *ACM Transactions on Graphics*, 25(1):130–150, 2006.
- [86] Peter Giblin and Benjamin Kimia. On the intrinsic reconstruction of shape from its symmetries. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 25(7):895–911, 2003.
- [87] Peter Giblin and Benjamin Kimia. A formal classification of 3D medial axis points and their local geometry. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 26(2):238–251, 2004.

- [88] Peter Giblin and Benjamin Kimia. Transitions of the 3D medial axis under a one-parameter family of deformations. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, in press, September 2008.
- [89] Peter J. Giblin and Benjamin. B. Kimia. On the local form and transitions of symmetry sets, medial axes, and shocks. *International Journal of Computer Vision (IJCV)*, 54(1-3):143–157, 2003.
- [90] Peter J. Giblin and Benjamin B. Kimia. Local forms and transitions of the medial axis. In Kaleem Siddiqi and Stephen Pizer, editors, *Medial Representations: Mathematics, Algorithms and Applications*, page In Press. Kluwer Academic Publishers, 2007.
- [91] J. Giesen and M. John. Surface reconstruction based on a dynamical system. *Computer Graphics Forum*, 21(3):363–371, September 2002.
- [92] Joachim Giesen, Edgar A. Ramos, and Bardia Sadri. Medial axis approximation and unstable flow complex. In *Proceedings of the ACM Symposium on Computational Geometry*, pages 327–336, New York, NY, USA, 2006.
- [93] Afzal Godil. Advanced human body and head shape representation and analysis. In *Digital Human Modeling, HCII*, pages 92–100. Springer Berlin Heidelberg, 2007.
- [94] Afzal Godil and Sandy Ressler. Similarity based retrieval from a 3d human database. In *ACM SIGGRAPH 2005*, page 79, New York, NY, USA, 2005.
- [95] S. Gold and A. Rangarajan. A graduated assignment algorithm for graph matching. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 18(4):377–388, 1996.
- [96] Samrat Goswami, Tamal K. Dey, and Chandrajit L. Bajaj. Identifying flat and tubular regions of a shape by unstable manifolds. In *Proceedings of the ACM Symposium on Solid and Physical Modeling (SPM)*, pages 27–37, 2006.
- [97] M. Akif Gulsun and Huseyin Tek. Geometric modeling of tubular structures. In *Proceedings of the IEEE Mathematical Methods in Biomedical Image Analysis (MMBIA)*, page To Appear, 2008.
- [98] P. L. Halliman, G. G. Gordon, A. L. Yuille, Peter J. Giblin, and D. Mumford. *Two- and Three-Dimensional Patterns of the Face*. A. K. Peters, 1999.
- [99] Masaki Hilaga, Yoshihisa Shinagawa, Taku Kohmura, and Toshiyasu L. Kunii. Topology matching for fully automatic similarity estimation of 3D shapes. In *Proceedings of the ACM SIGGRAPH*, pages 203–212, 2001.
- [100] M. Hisada, A. Belyaev, and T. Kunii. A skeleton-based approach for detection of perceptually salient features on polygonal surfaces. *Computer Graphics Forum (Proc. Eurographics)*, 21:689–700, 2002.
- [101] M. Hisada, A. G. Belyaev, and T. L. Kunii. Towards a singularity-based shape language: ridges, ravines, and skeletons for polygonal surfaces. *Soft Computing*, 7(1):45–52, 2002.

- [102] Hisamoto Hiyoshi. Greedy beta-skeleton in three dimensions. In *Proceedings of the IEEE International Symposium on Voronoi Diagrams in Science and Engineering*, pages 101–109, Washington, DC, USA, 2007.
- [103] C. M. Hoffmann. How to construct the skeleton of CSG objects. In *The Mathematics of Surfaces IV*, pages 421–438. Oxford University Press, 1994.
- [104] Robert Hummel and Steven Warren Zucker. On the foundations of relaxation labeling processes. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 6:267–287, 1983.
- [105] Cheuk Yiu Ip and Satyandra K. Gupta. Retrieving matching CAD models by using partial 3D point clouds. *Computer-Aided Design and Applications*, 4:629–638, 2007.
- [106] Natraj Iyer, Subramaniam Jayanti, Kuiyang Lou, Yagnanarayanan Kalyanaraman, and Karthik Ramani. A multi-scale hierarchical 3D shape representation for similar shape retrieval. In *Proceeding of the Tools and Methods of Competitive Engineering*, pages 1117–1118, 2004.
- [107] Natraj Iyer, Subramaniam Jayanti, Kuiyang Lou, Yagnanarayanan Kalyanaraman, and Karthik Ramani. Shape-based searching for product lifecycle applications. *Computer-Aided Design*, 37:1435–1446, 2005.
- [108] Natraj Iyer, Subramaniam Jayanti, Kuiyang Lou, Yagnanarayanan Kalyanaraman, and Karthik Ramani. Three-dimensional shape searching: state-of-the-art review and future trends. *Computer-Aided Design*, 37:509–530, 2005.
- [109] Marc Johannes, Thomas Sebastian, Huseyin Tek, and Benjamin Kimia. Perceptual organization as object recognition divided by two. In *IEEE Workshop on Perceptual Organization in Computer Vision (POCV)*, pages 41–46, 2001.
- [110] Andrew Edie Johnson and Martial Hebert. Using spin images for efficient object recognition in cluttered 3D scenes. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 21(5):433–449, 1999.
- [111] Michael Kazhdan, Thomas Funkhouser, and Szymon Rusinkiewicz. Rotation invariant spherical harmonic representation of 3D shape descriptors. In *Proceedings of the Eurographics/ACM SIGGRAPH Symposium on Geometry Processing (SGP)*, pages 156–164, 2003.
- [112] D. G. Kendall. The diffusion of shape. *Advances in Applied Probability*, 9(3):428–430, 1977.
- [113] Lutz Kettner. Using generic programming for designing a data structure for polyhedral surfaces. *Computational Geometry Theory and Applications*, 13:65–90, 1999.
- [114] Lutz Kettner. Halfedge data structures. In *CGAL User and Reference Manual*. CGAL Editorial Board, 3.3 edition, 2007.
- [115] Benjamin B. Kimia. On the role of medial geometry in human vision. *Journal of Physiology-Paris*, 97(2–3):155–190, 2003.

- [116] Benjamin B. Kimia, Allen R. Tannenbaum, and Steven W. Zucker. Shapes, shocks, and deformations, I: The components of shape and the reaction-diffusion space. *International Journal of Computer Vision (IJCV)*, 15(3):189–224, 1995.
- [117] Ron Kimmel and James A. Sethian. Fast Voronoi diagrams and offsets on triangulated surfaces. In *Computer Vision and Image Understanding (CVIU)*, 1999.
- [118] Jan J. Koenderink. *Solid Shape*. MIT Press, Cambridge, Massachusetts, 1990.
- [119] Marcel Kortgen, Gil-Joo Park, Marcin Novotni, and Reinhard Klein. 3D shape matching with 3D shape contexts. In *Central European Seminar on Computer Graphics*, 2003.
- [120] J. J. Kosowsky and A. L. Yuille. The invisible hand algorithm: Solving the assignment problem with statistical physics. *Neural Networks*, 7:477–490, 1994.
- [121] Chuan-Chu Kuo and Hong-Tzong Yau. A new combinatorial approach to surface reconstruction with sharp features. *IEEE Transactions on Visualization and Computer Graphics*, 12(1):73–82, 2006.
- [122] E. Lawler and D. Wood. Branch and bound methods: A survey. *Operations Research*, 14:699–719, 1966.
- [123] Soochahn Lee, Sehyuk Yoon, Il Dong Yun, Duck Hoon Kim, Kyoung Mu Lee, and Sang Uk Lee. A new 3-D model retrieval system based on aspect-transition descriptor. In *European Conference on Computer Vision (ECCV)*, pages 543–554, 2006.
- [124] Marc Levoy, Kari Pulli, Brian Curless, Szymon Rusinkiewicz, David Koller, Lucas Pereira, Matt Ginzton, Sean Anderson, James Davis, Jeremy Ginsberg, Jonathan Shade, and Duane Fulk. The digital michelangelo project: 3D scanning of large statues. In Kurt Akeley, editor, *Proceedings of the ACM SIGGRAPH*, pages 131–144, 2000.
- [125] Frederic Leymarie and Benjamin Kimia. The medial scaffold of 3D unorganized point clouds. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 29(2):313–330, 2007.
- [126] Frederic Leymarie, Benjamin Kimia, and Peter Giblin. Towards surface regularization via medial axis transitions. In *International Conference on Pattern Recognition (ICPR)*, pages 123–126, 2004.
- [127] Frederic F. Leymarie and Benjamin B. Kimia. From the infinitely large to the infinitely small: Applications of medial symmetry representations of shape. In Kaleem Siddiqi and Stephen Pizer, editors, *Medial Representations: Mathematics, Algorithms and Applications*, page In Press. Kluwer Academic Publishers, 2007.
- [128] Frederic Fol Leymarie. *3D Shape Representation via Shock Flows*. PhD thesis, Division of Engineering, Brown University, 2003.
- [129] Frederic Fol Leymarie. Thoughts on shape. *Visual Thought: The Depictive Space of the Mind*, L. Albertazzi, ed. of *Advances in Consciousness Research series*, 67:303–350, 2006.
- [130] M. Leyton. *Symmetry, Causality, Mind*. MIT press, Cambridge, MA, USA, 1992.

- [131] Michael Leyton. *A Generative Theory of Shape*. Lecture Notes in Computer Science 2145. Springer-Verlag, 2001.
- [132] André Lieutier. Any open bounded subset of \mathbf{R}^n has the same homotopy type as its medial axis. *Computer-Aided Design*, 36:1029–1046, 2004.
- [133] M. A. Lozano and F. Escolano. Protein classification by matching and clustering surface graphs. *Pattern Recognition*, 39(4):539–551, 2006.
- [134] G. Malandain and S. Fernandez-Vidal. Euclidean skeletons. *Image and Vision Computing*, 16(5):317–327, 1998.
- [135] Jean-François Mangin, D. Rivière, A. Cachia, D. Papadopoulos-Orfanos, D. L. Collins, A. C. Evans, and J. Régis. Object-based morphometry of the cerebral cortex. *IEEE Transactions on Medical Imaging*, 23(8):968–982, August 2004.
- [136] David Marr. *Vision: a computational investigation into the human representation and processing of visual information*. W.H. Freeman, San Francisco, 1982.
- [137] Jonah McBride. Archaeological fragment reassembly using curve matching. Master’s dissertation, Brown University, Providence, USA, 2003.
- [138] Boris Mederos, Nina Amenta, Luiz Velho, and Luiz Henrique de Figueiredo. Surface reconstruction from noisy point clouds. *Proceedings of the Eurographics/ACM SIGGRAPH Symposium on Geometry Processing (SGP)*, pages 53–62, 2005.
- [139] Niloy J. Mitra, Leonidas J. Guibas, and Mark Pauly. Partial and approximate symmetry detection for 3D geometry. *ACM Transactions on Graphics*, 25(3):560–568, 2006.
- [140] Douglas C Moore, Joseph J Crisco, Theodore G Trafton, and Evan L Leventhal. A digital database of wrist bone anatomy and carpal kinematics. *Journal of Biomechanics*, 40(11):2537–42, 2007.
- [141] David B. Mumford. Mathematical theories of shape: Do they model perception? In *Proc. Geometric Methods in Computer Vision Conference*, volume SPIE–1570, pages 2–10, 1991.
- [142] L. R. Nackman. Two-dimensional critical point configuration graphs. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 6(4):442–450, July 1984.
- [143] M. Naf, G. Szekely, R. Kikinis, M.E. Shenton, and O. Kubler. 3D Voronoi skeletons and their usage for the characterization and recognition of 3D organ shape. *Computer Vision and Image Understanding (CVIU)*, 66(2):147–161, May 1997.
- [144] Yutaka Ohtake, Alexander Belyaev, and Hans-Peter Seidel. Ridge-valley lines on meshes via implicit surface fitting. In *Proceedings of the ACM SIGGRAPH*, pages 609–612, 2004.
- [145] Atsuyuki Okabe, Barry Boots, Kokichi Sugihara, and Sung Nok Chiu. *Spatial tessellations: Concepts and applications of Voronoi diagrams*. Probability and Statistics. Wiley, NYC, 2nd edition, 2000. 671 pages.
- [146] Joseph O’Rourke. *Computational Geometry in C*. Cambridge University Press, 2nd edition, 1998.

- [147] Robert Osada, Thomas Funkhouser, Bernard Chazelle, and David Dobkin. Shape distributions. *ACM Transactions on Graphics*, 21(4):807–832, 2002.
- [148] Ozge C. Ozcanli and Benjamin B. Kimia. Generic object recognition via shock patch fragments. In *British Machine Vision Conference*, pages 1030–1039, 2007.
- [149] Ozge C. Ozcanli, Amir Tamrakar, Benjamin B. Kimia, and Joseph L. Mundy. Augmenting shape with appearance in vehicle category recognition. In *Proceedings of the IEEE Computer Vision and Pattern Recognition (CVPR)*, pages 935–942, 2006.
- [150] David S. Paik, Christopher F. Beaulieu, R. Brooke Jeffrey, Geoffrey D. Rubin, and Sandy Napel. Automated flight path planning for virtual endoscopy. *Medical Physics*, 25(5):629–637, May 1998.
- [151] Panagiotis Papadakis, Ioannis Pratikakis, Stavros Perantonis, and Theoharis Theoharis. Efficient 3D shape matching and retrieval using a concrete radialized spherical projection representation. *Pattern Recognition*, 40:2437–2452, 2007.
- [152] Si Hyung Park, Seoung Soo Lee, and Jong Hwa Kim. A surface reconstruction algorithm using weighted alpha shapes. In *Lecture Notes in Computer Science*, volume 3613, pages 1141–1150. Springer, 2005.
- [153] N. M. Patrikalakis and T. Maekawa. *Shape Interrogation for Computer Aided Design and Manufacturing*. Springer, 2002.
- [154] M. Pauly, N. J. Mitra, J. Wallner, H. Pottmann, and L. Guibas. Discovering structural regularity in 3D geometry. *ACM Transactions on Graphics*, 27(3), August 2008. Article No. 43.
- [155] M. Pauly, N. J. Mitra, J. Wallner, H. Pottmann, and L. Guibas. Skeleton extraction by mesh contraction. *ACM Transactions on Graphics*, 27(3), August 2008. Article No. 44.
- [156] S. Petitjean and E. Boyer. Regular and non-regular point sets: Properties and reconstruction. *Computational Geometry: Theory and Application*, 19(2-3):101–126, 2001.
- [157] Chandan Pitta and Michael M. Marefat. Intelligent retrieval and reuse of CAD solid models. In *Proc. IEEE International Conference on Robotics and Automation*, pages 1413–1418, 2005.
- [158] Stephen Pizer, Kaleem Siddiqi, Gabor Székely, James Damon, and Steven Zucker. Multiscale medial loci and their properties. *International Journal of Computer Vision (IJCV)*, 55(2-3):155–179, 2003.
- [159] Stephen M. Pizer, P. Thomas Fletcher, Sarang Joshi, Andrew Thall, James Z. Chen, Yonatan Fridman, Daniel S. Fritsch, A. Graham Gash, John M. Glotzer, Michael R. Jiroutek, Conglin Lu, Keith E. Muller, Gregg Tracton, Paul Yushkevich, and Edward L. Chaney. Deformable m-Reps for 3D medical image segmentation. *International Journal of Computer Vision (IJCV)*, 55(2-3):85–106, 2003.
- [160] Joshua Podolak, Philip Shilane, Aleksey Golovinskiy, Szymon Rusinkiewicz, and Thomas Funkhouser. A planar-reflective symmetry transform for 3D shapes. In *Proceedings of the ACM SIGGRAPH*, pages 549–559, 2006.

- [161] Anthony Pollitt, Peter Giblin, and Benjamin Kimia. Consistency conditions on medial axis. In *European Conference on Computer Vision (ECCV)*, pages 530–541, 2004.
- [162] Franco P. Preparata and Michael Ian Shamos. *Computational Geometry — An Introduction*. Texts and Monographs in Computer Science. Springer-Verlag, 1985.
- [163] Stanley Rabinowitz. A polynomial curve of constant width. *Missouri Journal of Mathematical Sciences*, 9:23–27, 1997.
- [164] Edgar A. Ramos and Bardia Sadri. Geometric and topological guarantees for the wrap reconstruction algorithm. In *Proceedings of the ACM-SIAM Symposium on Discrete Algorithms (SODA)*, pages 1086–1095, 2007.
- [165] A. Rangarajan and E. Mjolsness. A Lagrangian relaxation network for graph matching. In *IEEE International Conference on Neural Networks (ICNN)*, volume 7, pages 4629–4634. IEEE Press, 1994.
- [166] Szymon Rusinkiewicz and Marc Levoy. Efficient variants of the ICP algorithm. In *Proceedings of the IEEE 3-D Digital Imaging and Modeling (3DIM)*, pages 145–152, Quebec City, Canada, May 2001.
- [167] R. Schnabel, R. Wahl, R. Wessel, and R. Klein. Shape recognition in 3D point clouds. *Technical Report, University of Bonn*, 2007.
- [168] Thomas Sebastian, Philip Klein, and Benjamin Kimia. On aligning curves. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 25(1):116–125, January 2003.
- [169] Thomas Sebastian, Philip Klein, and Benjamin Kimia. Recognition of shapes by editing their shock graphs. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 26:551–571, 2004.
- [170] Thomas B. Sebastian, Hüseyin Tek, Joseph J. Crisco, Scott W. Wolfe, and Benjamin B. Kimia. Segmentation of carpal bones from 3D CT images using skeletally coupled deformable models. In *Proceedings of the International Conference on Medical Image Computing and Computer-Assisted Intervention (MICCAI)*, pages 1184–1194, London, UK, 1998. Springer-Verlag.
- [171] Jean Serra. *Image Analysis and Mathematical Morphology*, volume 1. Academic Press, 1982.
- [172] Ariel Shamir and Amir Shaham. Skeleton based solid representation with topology preservation. *Graphical Models*, 68(3):307–321, 2006.
- [173] L. G. Shapiro and R. M. Haralick. Structural descriptions and inexact matching. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 3:504–519, Sept. 1981.
- [174] Andrei Sharf, Thomas Lewiner, Ariel Shamir, and Leif Kobbelt. On-the-fly curve-skeleton computation for 3D shapes. *Computer Graphics Forum*, 26(3):323–328, 2007.
- [175] Daniel Sharvit, Jacky Chan, Hüseyin Tek, and Benjamin B. Kimia. Symmetry-based indexing of image databases. *Journal of Visual Communication and Image Representation*, 9(4):366–380, December 1998.

- [176] E. Sherbrooke, N. M. Patrikalakis, and F.-E. Wolter. Differential and topological properties of medial axis transforms. *Graphical Models and Image Processing*, 58(6):574–592, November 1996.
- [177] Yonggang Shi, Rongjie Lai, Sheila Krishna, Nancy Sicotte, Ivo Dinov, and Arthur W. Toga. Anisotropic Laplace-Beltrami eigenmaps: Bridging Reeb graphs and skeletons. In *Proceedings of the IEEE Mathematical Methods in Biomedical Image Analysis (MMBIA)*, 2008.
- [178] Jau-Ling Shih, Chang-Hsing Lee, and Jian Tang Wang. A new 3D model retrieval approach based on the elevation descriptor. *Pattern Recognition*, 40(1):283–295, 2007.
- [179] Ali Shokoufandeh, Diego Macrini, Sven Dickinson, Kaleem Siddiqi, and Steven W. Zucker. Indexing hierarchical structures using graph spectra. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 27(7):1125–1140, 2005.
- [180] Kaleem Siddiqi, Sylvain Bouix, Allen Tannenbaum, and Steven W. Zucker. Hamilton-jacobi skeletons. *International Journal of Computer Vision (IJCV)*, 48(3):215–231, 2002.
- [181] Kaleem Siddiqi and Benjamin B. Kimia. Parts of visual form: Computational aspects. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 17(3):239–251, March 1995.
- [182] Kaleem Siddiqi and Benjamin B. Kimia. A shock grammar for recognition. In *Proceedings of the IEEE Computer Vision and Pattern Recognition (CVPR)*, pages 507–513, 1996.
- [183] Kaleem Siddiqi, Juan Zhang, Diego Macrini, Ali Shokoufandeh, Sylvain Bouix, and Sven Dickinson. Retrieving articulated 3-D models using medial surfaces. *Machine Vision and Applications*, pages 1432–1769, 2007.
- [184] D. Siersma and M. van Manen. The nine morse generic tetrahedra. *Manuscript, Math.DG/0410251*, October 2004.
- [185] P. D. Simic. Constrained nets for graph matching and other quadratic assignment problems. *Neural Computation*, 3:268–281, 1991.
- [186] R. Sinkhorn. A relationship between arbitrary positive matrices and doubly stochastic matrices. *Annals of Mathematical Statistics*, 35:876–879, 1964.
- [187] Svetlana Stolpner and Kaleem Siddiqi. Revealing significant med. struct. in polyhedral meshes. In *Proceedings of the IEEE Symposium on 3D Data Processing, Visualization, and Transmission (3DPVT)*, pages 365–372, 2006.
- [188] Martin Styner, Guido Gerig, Sarang Joshi, and Stephen Pizer. Automatic and robust computation of 3d medial models incorporating object variability. *International Journal of Computer Vision (IJCV)*, 55(2-3):107–122, 2003.
- [189] Avneesh Sud, Mark Foskey, and Dinesh Manocha. Homotopy-preserving medial axis simplification. In *Proceedings of the ACM Symposium on Solid and Physical Modeling (SPM)*, pages 39–50, 2005.

- [190] Avneesh Sud, Miguel A. Otaduy, and Dinesh Manocha. Difi: Fast 3d distance field computation using graphics hardware. *Computer Graphics Forum (Proc. Eurographics)*, 23(3):557–566, 2004.
- [191] Robert W. Sumner, Johannes Schmid, and Mark Pauly. Embedded deformation for shape manipulation. In *Proceedings of the ACM SIGGRAPH*, page 80, 2007.
- [192] H. Sundar, D. Silver, N. Gagvani, and S. Dickinson. Skeleton based shape matching and retrieval. In *Proceedings of the Shape Modeling International*, pages 130–139, 2003.
- [193] Roger Tam and Wolfgang Heidrich. Feature-preserving medial axis noise removal. In *European Conference on Computer Vision (ECCV)*, pages 672–686, London, UK, 2002. Springer-Verlag.
- [194] Roger Tam and Wolfgang Heidrich. Shape simplification based on the medial axis transform. In *Proceedings of IEEE Visualization*, pages 481–488, 2003.
- [195] Amir Tamrakar, Ming-Ching Chang, and Benjamin B. Kimia. Computation of exact 2D medial axis transform from piecewise circular inputs via dynamic wavefront and shock propagation. In *manuscript*, Providence, RI, USA, July, 2008.
- [196] Amir Tamrakar and Benjamin B. Kimia. Medial visual fragments as an intermediate image representation for segmentation and perceptual grouping. In *Proceedings of the Workshop on Perceptual Organization in Computer Vision (POCV)*, page 47, 2004.
- [197] Johan W. H. Tangelder and Remco C. Veltkamp. A survey of content based 3D shape retrieval methods. In *Shape Modeling International*, pages 145–156, 2004.
- [198] M. J. Tarr, P. Williams, W. G. Hayward, and I. Gauthier. Three-dimensional object recognition is viewpoint dependent. *Nature Neuroscience*, 1(4):275–277, 1998.
- [199] Gabriel Taubin. A signal processing approach to fair surface design. In *Proceedings of the ACM SIGGRAPH*, pages 351–358, 1995.
- [200] Huseyin Tek and Benjamin Kimia. Boundary smoothing via symmetry transforms. *Journal of Mathematical Imaging and Vision*, 14(3):211–223, May 2001.
- [201] Huseyin Tek and Benjamin B. Kimia. Curve evolution, wave propagation, and mathematical morphology. In Henk J.A.M. Heijmans and Jos B.T.M. Roerdink, editors, *Mathematical Morphology and its Applications to Image and Signal Processing*, volume 12 of *Computational Imaging and Vision*, pages 115–126. Kluwer Academic, Amsterdam, The Netherlands, June 1998.
- [202] Huseyin Tek and Benjamin B. Kimia. Symmetry maps of free-form curve segments via wave propagation. *International Journal of Computer Vision (IJCV)*, 54(Issue 1-3):35–81, August 2003.
- [203] Nhon Trinh and Benjamin Kimia. A symmetry-based generative model for shape. In *Proceedings of the IEEE International Conference on Computer Vision (ICCV)*, 2007.

- [204] S. Umeyama. An eigendecomposition approach to weighted graph matching problems. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 10:695–703, September 1988.
- [205] Peter L. Varkonyi and G. Domokos. Mono-monostatic bodies: the answer to arnold’s question. *The Mathematical Intelligencer*, 28(4):34–38, 2006.
- [206] Annamária R. Várkonyi-Kóczy. Fuzzy logic supported corner detection. *Journal of Intelligent and Fuzzy Systems*, 19(1):41–50, 2008.
- [207] A. Verroust and F. Lazarus. Extracting skeletal curves from 3D scattered data. *The Visual Computer: International Journal of Computer Graphics*, 16(1):15–25, 2000.
- [208] Lawson Wade and Richard E. Parent. Automated generation of control skeletons for use in animation. *The Visual Computer: International Journal of Computer Graphics*, 18(2):97–110, March 2002.
- [209] Jianning Wang, Manuel M. Oliveira, and Arie E. Kaufman. Reconstructing manifold and non-manifold surfaces from point clouds. In *Proceedings of IEEE Visualization*, pages 415–422, 2005.
- [210] Yu-Shuen Wang and Tong-Yee Lee. Curve-skeleton extraction using iterative least squares optimization. *IEEE Transactions on Visualization and Computer Graphics*, 14(4):926–936, 2008.
- [211] Liu Wen-Yu, Li Hua, and Zhu Guang-Xi. A fast algorithm for corner detection using the morphologic skeleton. *Pattern Recognition Letters*, 22:891–900, 2001.
- [212] A. Willis, S. Andrews, J. Baker, Y. Cao, D. Han, K. Kang, W. Kong, Frederic Fol Leymarie, X. Orriols, S. Velipasalar, E.L. Vote, D.B. Cooper, M.S. Jukowsky, B.B. Kimia, D.H. Laidlaw, and D. Mumford. Assembling virtual pots from 3D measurements of their fragments. In *Proceedings of the Conference on Virtual Reality, Archeology, and Cultural Heritage*, 2001.
- [213] G. V. Wilson and G. S. Pawley. On the stability of the traveling salesman problem algorithm of hopfield and tank. *Biological Cybernetics*, 58:63–70, 1988.
- [214] F.-E. Wolter and K.-I. Friese. Local and global geometric methods for analysis interrogation, reconstruction, modification and design of shape. In *Proceedings of IEEE Computer Graphics International (CGI)*, pages 137–151, Geneva, Switzerland, June 2000.
- [215] Franz-Erich Wolter. Cut locus and medial axis in global shape interrogation and represent. Technical Report, MIT, 1993.
- [216] Fu-Che Wu, Wan-Chun Ma, Rung-Huei Liang, Bing-Yu Chen, and Ming Ouhyoung. Domain connected graph: the skeleton of a closed 3D shape for animation. *The Visual Computer: International Journal of Computer Graphics*, 22(2):117–135, 2006.
- [217] Joris Vanden Wyngaerd and Luc Van Gool. Automatic crude patch registration: Toward automatic 3D model building. *Computer Vision and Image Understanding (CVIU)*, 87(1-3):8–26, July 2002.

- [218] Shin Yoshizawa, Alexander Belyaev, and Hans-Peter Seidel. Fast and robust detection of crest lines on meshes. In *Proceedings of the ACM Symposium on Solid and Physical Modeling (SPM)*, pages 227–232, 2005.
- [219] Shin Yoshizawa, Alexander Belyaev, and Hans-Peter Seidel. Skeleton-based variational mesh deformations. *Computer Graphics Forum (Proc. Eurographics)*, 26(3):255–264, 2007.
- [220] Shin Yoshizawa, Alexander Belyaev, Hideo Yokota, and Hans-Peter Seidel. Fast and faithful geometric algorithm for detecting crest lines on meshes. In *Proceedings of the IEEE Pacific Conference on Computer Graphics and Applications*, pages 231–237, 2007.
- [221] Shin Yoshizawa, Alexander Belyaev, Hideo Yokota, and Hans-Peter Seidel. Fast, robust, and faithful methods for detecting crest lines on meshes. *Computer Aided Geometric Design*, page in press, 2008.
- [222] Shin Yoshizawa, Alexander G. Belyaev, and Hans-Peter Seidel. Free-form skeleton-driven mesh deformations. In *Proceedings of the ACM Symposium on Solid Modeling and Applications*, pages 247–253, 2003.
- [223] Dimitrios Zarpalas, Petros Daras, Apostolos Axenopoulos, Dimitrios Tzovaras, and Michael G. Strintzis. 3D model search and retrieval using the spherical trace transform. *EURASIP Journal on Applied Signal Processing*, 2007(1):207–207, 2007.
- [224] Ron Zass and Amnon Shashua. Probabilistic graph and hypergraph matching. In *Proceedings of the IEEE Computer Vision and Pattern Recognition (CVPR)*, pages 1–8, 2008.
- [225] Mourad Zerroug and Ramakant Nevatia. Three-dimensional descriptions based on the analysis of the invariant and quasi-invariant properties of some curved-axis generalized cylinders. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 18(3):237–253, 1996.
- [226] Qian-Yi Zhou, Tao Ju, and Shi-Min Hu. Topology repair of solid models using skeletons. *IEEE Transactions on Visualization and Computer Graphics*, 13:675–685, 2007.
- [227] Michael Zilske, Hans Lamecker, and Stefan Zachow. Adaptive remeshing of non-manifold surfaces. In *Proceedings of the Eurographics*, volume 27, pages 393–402, 2008.